Material Safety Data Sheet

May be used to comply with OSHA'S Hazard Communication Standard 29 CFR 2910.1200. Standard must be consulted for specific requirements.

U.S. DEPARTMENT OF LABOR

Occupational Safety and Health (Non-Mandatory Form) Form Approved OMB No. 1218-0072

Identity (As Used on Label and List) #400, #410 Big D Liquid Deodorant , Mint	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.		
Section I			
Manufacturer's Name Big D Industries, Inc.	Emergency Telephone Number (800) 535-5053 (800) 654-4752		
Address (number, Street, City, State, and ZIP Code) 5620 S. W. 29th Street (73179)	Telephone Number for Information (800) 654-4752 (405) 682-2541		
P. O. Box 82219	Date Prepared 01/01/1999		
Oklahoma City, OK 73148	Signature of Preparer (optional)		

Section	II - HN	MIS Rating				
Health	2	Flammability	1	Reactivity	0	

Section III - Hazardous Ingredients/Identity Information							
Hazardous Components (Specific Chemical Identity: Common Name(s)) %(optional)	OSHA PEL	ACGIH TLV	Other Limits				
			Remnd.				
Amyl Acetate CAS #628-63-7	100 ppm	100 ppm	-				
DiPropylene Glycol methyl ether CAS #20324-32-7	100 ppm	150 ppm	-				
Ethyl Acetate CAS #141-78-6400 ppm	400 ppm	400 ppm	·				
Propylene Glycol CAS #57-55-6	N/E	N/E					

Section IV - Physical/Chemical Characteristics					
Boiling Point	N/D	Specific Gravity ($H_2O = 1$)	N/D		
Vapor Pressure (mm Hg.)	N/D	Melting Point	N/A		
Vapor Density (AIR = 1)	>1	Evaporation Rate	<1		

Solubility in Water:	Slight
Appearance and Odor:	Clear liquid with Mint fragrance

Section V - Fire and Explosion Hazard Data			
Flash Point (Method Used) N/D	Flammable Limits N/A	LEL	UEL
		N/A	N/A
Extinguishing Media Carbon dioxide or dry foam.			
Special Fire Fighting Procedures None			
Unusual Fire and Explosion Hazards None			

N/A = Not Applicable N/D = Not Determined Page 1 N/E = Not Established

7 100 110							
Section VI - Reactivity Data							
Stability	Unstable		Conditions to Avoid: None				
	Stable	X					
Incompatibility (Ma	aterials to Avoid): Av	oid contac	et with strong oxidizing agents such as nitric acid.				
Hazardous Decomp	osition or Byproducts: N	Vone					
Hazardous	May Occur		Conditions to Avoid: None				
Polymerization							
	Will Not Occur	X					

Section VII	- Health	Haza	rd Data				
Route(s) of Entry:	Inhalation	? Yes	Skin?	Yes	Ingestion?	Yes	
Health Hazards (A	cute and Chi	onic): A	cute: None known.				
Chronic: Low orde	er of toxicity;	frequent	or prolonged contact n	nay irrate sk	in.		
Carcinogenicity:	NTP?	No	IARC Monograph	ns? No	OSHA Regulat	ed? No	
Signs and Sympton	ns of Exposur	e:	None Known				
Medical Conditions	S						
Generally Aggrava	ted by Expos	ure:	None Known				
Emergency and Fi	rst Aid Proce	dures: E	ye contact: flush wi	th large an	nounts of water. M	ay cause corneal damage on prolonged	d contact. Seek
medical attn.							
Ingestion: Do no	ot give anyt	hing by	mouth to an uncon	scious pers	son. Seek Medical	attn. Inhalation: remove person to fre	sh air . Seek
medical attn.							

Section VIII - Pr	cautions for Safe Handling and Use	
Steps to be Taken in Case I	aterial is Released or Spilled:	
Absorb with inert abso	pent material or wash small spills with soap and water.	
Waste Disposal Method:		
Landfill for absorbent mate	al. Dispose in accordance with local, state, and federal regulations. Do not incinerate.	
Precautions to be Taken in	fandling and Storing: Do not store near heat nor open flame	
Other precautions: No	ne	

Section IX - Control Measures						
Respiratory Protection (Specify Type): None required						
Ventilation	Local Exhaust adequ	nate Special N/A				
	Mechanical (General) adec	quate Other N/A				
Protective Gloves: Rubber or plastic for prolonged contact Eye Protection: Safety goggles for splash protection						
Other Protective Clothing or Equipment: Eye wash/shower facility nearby						
Work/Hygienic Practices: Good housekeeping practices. Avoid skin/eye contact.						

N/A = Not Applicable N/D - Not Determined Page 2 N/E = Not Established OSHA 174, Sept. 1985